



Limited Models

Click for larger images

Rugged, Stainless Steel, Platforms

Application

Made of stainless steel in sizes from 12" x 12" to 18" x 24", we have a full line of platforms to suit your needs. Our capacities range from 25 to 600 pounds and from 15 to 300 kilograms with NTEP certified legal for trade models available. Most of our platforms are also NEMA-4X washable, so whatever wet, messy, demanding environment you have - we have the platform for you. Everything from warehouse, factory and industrial applications to seafood, poultry and meat processing. Contact us to find out what we can do for you. Not all our platforms are featured here.

Features

- Heavy Duty Stainless Steel Construction
- A Wide Range of Capacities, up to 600 lb or 300 kg
- Legal for Trade Models
- NEMA 4X Models
- Several Sizes
- Standard 350 ohm Load Cells
- Most Load Cells NTEP Certified at 5000 Divisions
- Fully Compatible with Our DPI Indicators

Specifications

Model	DP-1212	DP-1318	DP-2015	DP-1824
Accuracy Class	Class III	Not certified legal for trade (DP-1318 an DP-1824 have Class III load cells)		
Certificate of Conformance #	99-028			
Weighing System	Strain gage load cell			
Rated Capacities	20 kg 50 kg 100 kg	150 kg 200 kg 300 kg	150 kg 200 kg 300 kg	50 kg 100 kg 250 kg

Dimensions	12" x 12"	13" x 18"	20" x 15"	18" x 24"
Output	2 mV/V	2 mV/V	2 mV/V	2 mV/V
Input Impedance (ohms)	415	415	406	415
Output Impedance (ohms)	350	350	351	350
NEMA Type	4X	4X	2	4X
Operating Temperature	14° F ~ 104° F (-10° C ~ 40° C)			
Shipping Weight	14 lb	21 lb	37 lb	66 lb



[Click for larger image](#)

Washdown Digital Indicator

Application

The DPI-500 is a tough, versatile, stainless steel, washdown indicator that can be used to drive up to eight 350 ohm load cells. It is NTEP certified legal for trade, has a large easy to read LED display, has full duplex RS-232 serial communications and can be powered by an AC adaptor or battery pack. An excellent indicator for a truck, floor or mechanical scale! With the optional battery pack, the DPI-500 is NEMA-4X washable, making it perfect for use in fish, poultry and meat processing or in any other wet, messy environment.

Features

- Stainless Steel Construction
- Bright, LED Display with Annunciators
- NEMA 4X Washdown with Optional Battery Pack
- Full Duplex RS-232 Serial Communications
- Legal for Trade at 5000 Divisions
- Push Button Tare
- Initial, Automatic and Semi-automatic Zero Setting Mechanisms

Options

- Rechargeable Battery Pack

Specifications

Model	DPI-500
Accuracy Class	Class III/III L, 5000 divisions maximum
Certificate of Conformance #	96-163
A/D Converter	Dual slope
Display	LED: 6 digits plus annunciators Character size: 0.6" x 0.4"
Excitation Voltage	10 VDC
Internal Counts	260,000
I/O	Full duplex RS-232
Power	12 VDC
NEMA Type	4X, washdown
Operating Temperatures	14° F ~ 104° F (-10° C ~ 40° C)
Shipping Weight	6 lb

SOLD BY:

